

OAK PARK PEDIATRICS

Dosing chart for acetaminophen (Tylenol), Ibuprofen (Advil and Motrin) and diphenhydramine (Benadryl)

ACETAMINOPHEN (Tylenol) to be given every 4 hours as needed.

**Note: May be repeated dosages every 4 hours, but not more than 5 times daily.

Weight	Age	Infant/Child liquid 160mg/5ml	Infant's Drops 80mg/0.8ml	Chewable Tab 80mg
6-11lbs	0-3mos	¼ tsp (1.25ml)	½ dropperful=0.4ml	---
12-17lbs	4-11mos	½ tsp (2.5ml)	1 dropperful=0.8ml	one tab
18-23lbs	12-23mos	¾ tsp (3.75ml)	1 1/2 dropperful=1.2ml	1.5tabs
24-35lbs	2-3 yrs	1tsp (5ml)	2 dropperful=1.6ml	2 tabs
36-47lbs	4-5 yrs	1-1/2 tsp (7.5ml)		3 tabs
48-59lbs	6-8yrs	2 tsp (10ml)		4 tabs
60-71 lbs	9-10 yrs	2-1/2tsp (12.5ml)		5 tabs
72-95lbs	11 yrs	3 tsp (15ml)		6 tabs

IBUPROFEN (Advil and Motrin) to be given every 6 hours as needed

do not give to children under 6 months

Weight	Age	Infant drops 50mg/1.25ml	Children's liquid susp 100mg/5ml	Chew tabs 50mg
12-17lbs	6-11mos	1.25ml	---	---
18-23lbs	12-23mos	1.875ml	---	---
24-35lbs	2-3yrs	2.5ml	1tsp	2tablets
36-47lbs	4-5yrs	---	1-1/2tsp	3tablets
48-59lbs	6-8yrs	---	2tsp	4tablets
60-71lbs	9-10yrs	---	2-1/2tsp	5tablets
72-95lbs	11yrs	---	3tsp	6 tablets

DIPHENHYDRAMINE (Benadryl) dosing to be given every 6 hours as needed

Weight	Age	Dose
12-17lbs	6-11mo	½ tsp (2.5ml)
18-30lbs	1-2yrs	one tsp (5ml)
31-44lbs	3-6yrs	1-1/2tsp (7.5ml)
45 lbs+	6-12yrs	2 tsp (10ml)